Table 17B 2003 Pediatric Nutrition Surveillance (1) Inyo

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

Page: Run Date: 6 / 10 / 04

State: California County: 014

Anemia Indicators by Race/Ethnicity and Age (3, 4)								
	Number	Anemia Low Hb/Hct %		Number	Anemia Low Hb/Hct %			
White, Not Hispanic			Asian/Pacific Islander					
6 - 11 Months	5	*	6 - 11 Months	0	*			
12 - 17 Months	9	*	12 - 17 Months	0	*			
18 - 23 Months	3	*	18 - 23 Months	0	*			
24 - 35 Months	4	*	24 - 35 Months	1	*			
36 - 59 Months	15	*	36 - 59 Months	0	*			
Total	36	*	Total	1	*			
Black, Not Hispanic			All Other/Unknown					
6 - 11 Months	0	*	6 - 11 Months	0	*			
12 - 17 Months	2	*	12 - 17 Months	0	*			
18 - 23 Months	1	*	18 - 23 Months	0	*			
24 - 35 Months	0	*	24 - 35 Months	2	*			
36 - 59 Months	2	*	36 - 59 Months	1	*			
Total	5	*	Total	3	*			
Hispanic			Total All Race/Ethnic Groups					
6 - 11 Months	13	*	6 - 11 Months	30	*			
12 - 17 Months	19	*	12 - 17 Months	40	*			
18 - 23 Months	4	*	18 - 23 Months	12	*			
24 - 35 Months	20	*	24 - 35 Months	37	*			
36 - 59 Months	36	*	36 - 59 Months	75	*			
Total	92	*	Total	194	11.9			
American Indian/Alaskan Native			-					
6 - 11 Months	12	*						
12 - 17 Months	10	*						
18 - 23 Months	4	*						
24 - 35 Months	10	*						
36 - 59 Months	21	*						
Total	57	*						



⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: Run Date:

County: 014

6/10/04

Anemia Indicators by Race/Ethnicity and Age Children Aged 5 to <20 Years (2)

Standard Year (School Age Coding)

State: California

Anemia Indicators by Race/Ethnicity and Age (3, 4)								
		Anemia Low Hb/Hct			Anemia Low Hb/Hct			
	Number	%		Number	%			
White, Not Hispanic			Asian/Pacific Islander					
5 - 8 Years	17	*	5 - 8 Years	0	*			
9 - 11 Years	4	*	9 - 11 Years	1	*			
12 - 14 Years - Girls	2	*	12 - 14 Years - Girls	0	*			
12 - 14 Years - Boys	1	*	12 - 14 Years - Boys	0	*			
15 - 19 Years - Girls	2	*	15 - 19 Years - Girls	0	*			
15 - 19 Years - Boys	0	*	15 - 19 Years - Boys	0	*			
Total	26	*	Total	1	*			
Black, Not Hispanic			All Other/Unknown					
5 - 8 Years	2	*	5 - 8 Years	4	*			
9 - 11 Years	1 1	*	9 - 11 Years	3	*			
12 - 14 Years - Girls	Ö	*	12 - 14 Years - Girls	1 1	*			
12 - 14 Years - Boys	ő	*	12 - 14 Years - Boys	1 i	*			
15 - 19 Years - Girls	Ŏ	*	15 - 19 Years - Girls	l i	*			
15 - 19 Years - Boys	Ö	*	15 - 19 Years - Boys	o .	*			
Total	3	*	Total	10	*			
Hispanic			Total All Race/Ethnic Groups					
5 - 8 Years	35	*	5 - 8 Years	86	*			
9 - 11 Years	17	*	9 - 11 Years	42	*			
12 - 14 Years - Girls	7	*	12 - 14 Years - Girls	11	*			
12 - 14 Years - Boys	7	*	12 - 14 Years - Boys	16	*			
15 - 19 Years - Girls	8	*	15 - 19 Years - Girls	16	*			
15 - 19 Years - Boys	3	*	15 - 19 Years - Boys	4	*			
Total	77	*	Total	175	11.4			
American Indian/Alaskan Native								
5 - 8 Years	28	*						
9 - 11 Years	16	*						
12 - 14 Years - Girls	1	*						
12 - 14 Years - Boys	7	*						
15 - 19 Years - Girls	5	*						
15 - 19 Years - Boys	1	*						
Total	58	*						

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ Analyses based on one record per child.

 ⁽³⁾ Excludes records with unknown data or errors.
(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.